

Semester 2 Exam Practice – Quadratics
(Multiple Choice 20-25) + 3 Constructed Response (one multi-part)

Quadratics Review
Notes

Semester 2 Exam Practice – Quadratics
(Multiple Choice 20-25) + 3 Constructed Response (one multi-part)

20. What are the solutions of the equation?

$$(x + 4)(x - 12) = 0$$

- a. $x = 4$ and $x = -12$
- b. $x = -4$ and $x = 12$
- c. $x = -36$ and $x = 36$
- d. $x = -8$ and $x = 2$

21. Juan correctly solves one of the following equations. His solutions are $x = -1$ and $x = 4$. Which equation did Juan solve?

- a. $6x^2 - 18x = -24$
- b. $6x^2 + 18x = 24$
- c. $6x^2 - 18x = 24$
- d. $6x^2 + 18x = -24$

22. Describe how the graph of the parent function $f(x) = x^2$ would be transformed if it were changed to $f(x) = (x - 6)^2 - 3$.

- a. It would be translated 6 units left and 3 units down.
- b. It would be translated 6 units left and 3 units up.
- c. It would be translated 6 units right and 3 units up.
- d. It would be translated 6 units right and 3 units down.

23. What are the zeroes of the function?

$$g(x) = x^2 + 6x - 27$$

- a) $x = -9, x = -3$
- b) $x = 9, x = -3$
- c) $x = -9, x = 3$
- d) $x = 9, x = 3$

24. A football is kicked from the ground with an initial velocity of 74 ft/s. The height of the football over time can be represented by the function $h(t) = -16t^2 + 74t$. What does the y-value of the vertex represent in this scenario?

- a) the maximum height reached by the football
- b) the time when the football hits the ground
- c) the initial height of the football when it is kicked
- d) the time it takes for the football reaches its maximum height

25. Given the following function, what are the coordinates of the vertex?

$$h(x) = 3(x - 5)^2 + 2$$


- a. (3, 2)
- b. (2, 3)
- c. (5, 2)
- d. (-5, 2)

Semester 2 Exam Practice – Quadratics

(Multiple Choice 20-25) + 3 Constructed Response (one multi-part)

Graph the quadratic function using 5 points. Label your axis of symmetry and vertex.

$$f(x) = -3x^2 - 12x + 1.$$



An arrow is shot from a 80 ft platform with an initial velocity of 64 feet per second. The scenario can be represented by the function $h(t) = -16t^2 + 64t + 80$.

How long will it take for the arrow to hit the ground?
Round to the nearest hundredth if necessary.

Solve each equation. If necessary, leave your answer as a decimal, rounded to the nearest hundredth. Please show all your work.

a) $x^2 + 5x + 6 = 0$

b) $x^2 + 6x = -5$

c) $2x^2 + 7 = -3x$